

Merit LILIN Application Note

How to set up Navigator QR Code Detection

Document Number : A00166 Date : 2018/10/15 Dept: Technical Support, Taipei

Subject: This document describes how to set up Navigator QR Code Detection.

Device Supported: Navigator Software Firmware Version: 2.0.0.128

How to set up Navigator QR Code Detection

Step #1: Enter NAV Setup \rightarrow Click Enable "Applications" after reboot \rightarrow Select Enable"NAV QRCode Decoder Server 64 bits" after reboot.



Step #2: Click **ePOS/OSD** \rightarrow Set Printer Type: **QR Code** \rightarrow Set Device **Station 01**.

OLEN .					? -	U X
	woldt 25881321298 Connecting-				2016 13 26 D 64 CPU REC MUTE admin R DA	10/12 44 81% EPTZ XFF 1 7: 39.07
Display Record	ngs#004	Presserve	×			niili
Activate this d	device				P	a)
POS setting	×				0	
OSD View Setting	<u>1</u>				N N	OFF
os	SD View Number 1 ~				٠	pplications
P	Printer Type QR Code ~				曱	Groupings
D	Device: Station 01 ~				=	Windows
M	Aapping Camera Camera 4 -					Playback
PI	POS Module: NONE -					8
C	COM Port Not Used -	Find Device	Video	and the second second	-	-
	1105.Evm,1	Assign Recording Disk		- Paris	0	0
PC Fr	OS Text Force Carry Return Not Used ~	Auto switch the audio	Alarm Management		Ŷ	0
Te	lest Alignment Bottom right c 🕤	Device Type IP Cam	ePOS/OSD			
La	ine Size 16	Alarm Input (DI): 0	Object Counting	1 A 10 A 10	OEU	~
	andy rank. 0 Seconds ·	Relay Output (DO): 0	Facial Recommen			
Fort Settings Replace Setting	OK Cancel					
		-	OK Cancel			
			the local data in the			



Step #3: Click Alarm Management \rightarrow Check QRCode detection.

Alem Management CamROAL	O LOUN			? -	ПX
Alem Manggenert CartOld Cartoristi C	8001 2548720 (%			2010 13 21 D 54 OPU REC MCC MCC	10/12 121 86% EPTZ OFF E
Continue™	Alarm Management Cam#004	×		ull	uttil
Alem fingel findesgenert Per Storer Per	Candition#1 Condition#2 Condition#3 Condition#4 Others	Cam 004 18/10/12 13:29:21		P	a))
Import Derect deschart	Alarm Input Management Alarm Output (DO)				-10
Charant (Dovos) P) P (P extra final dialization) P (P extra final dialization) P (P extra final dialization) P) P extra final dialization P (P extra final dialization) <	Prevoluti Temper detection Prevoluti Temper detection Prevoluti Temper detection Prevoluti Temper detection Send Email Send Email Sender				OFF
Image: Section Device (Section	Extimal ID Device P12 Preset Recell Monday Monday	States and States and States		4	Indication
Personal Carbonic Personal Record	NAV CGI Triggering Alarm Full Screen Teenday	and the second division of the second divisio		G.	
Operation	Remote Lor Deleton Periodem Record Thursday Except Advanced Alem TO Except Advanced Advanced Alem TO Except Advanced Advanced Advanced Advanced Advanced Advanced Advanced Except Advanced Advanced Advanced Advanced Advanced Except Advanced Advanced Advanced Advanced Except Advanced Except Advanced				Grouping
Classes Classes Appl Al Schedule Value Impl Al Schedule Classes Aam Nack (D) Peakam Nack (D) Impl Al Schedule Value Impl Al Schedule Classes Aam Nack (D) The InterNack (D) Impl Al Schedule Value Impl Al Schedule Impl	C C C C C C C C C C C C C C C C C C C				Window
C Endel Aam tops (D) Pe dam Det (Rc) Det Corres Det (Rc)	Optums Optums B @ Engline Annh All Schwebie				Playbac
Alexo Logic Alem Haldradem Alexo Ouder (Sicc) Image: Sicci Alexon Deal (Sicci Alexon Dea	Enable Alarm Input (DI) Pre-alarm Dwell (Sec)	Video	Carr 094		1
Desido Desig (Sec) The lace Aliam days Age Concer A	AND Logic Alarm Notification Alarm Output Dwell (Sec) 5 v			-	-
Other His Logic Animita Statignet Animita Statignet Image: Concept Animita Statignet Image: Concept Ima	Detection Dwell (Sec) 1 The Next Alarm Output Disal Dwell (Min)			Q	-0
April Danier April Danier CX Count #6/50.005 I Spichwate Time With 7C April Danier APPR Graup Safetrag I Spichwate Time With 7C Appr Charles Oper Count I Spichwate Time With 7C Appr Charles Oper Count I Spichwate Time With 7C Appr Charles Oper Count I Spichwate Time With 7C Appr Charles Oper Count I Spichwate Time With 7C Appr Charles Oper Count I Spichwate Time With 7C Appr Charles Oper Count I Spichwate Time With 7C Appr Charles Oper Count I Spichwate Time With 7C Appr Charles Oper Count I Spichwate Time With 7C Appr Charles Appr Charles I Spichwate Time With 7C Appr Charles Appr Charles I Spice Time With 7C Appr Charles Appr Charles I Spice Time With 7C Appr Charles Appr Charles I Spice Time With 7C Appr Charles Appr Charles I Spice Time With 7C Appr Charles Appr Charles I Spice Time With 7C Appr Charles Appr Charles I Spice Time With 7C Appr Charles Appr Charles I Spice Time With 7C Appr Charles Appr Charles I Spice Time With 7C Appr Charles	Use Not Logic	Alarm Management			0
Constant and a constant and constant and constant and a constant and a constant and a const	Apply Cameras Alarm setting firam remote device OK Cancel	ePOS/OSD			
Sectionate Time BP C Apple Counting Count Data clert some connection Bits SPB Count Data Count D		ANPR Group Setting		SEQ	-
Cut Hank olds and output of the second of th	Synchronize Time with PC Apply Relay Output (OD) 0	Object Counting			
Rebox Device Laurch Breaser OK Cancel	Cruw betwee clean server connection Count Port 80	Facal Recognition			
	Datast Parice Lawath Researd	OK Canad			
	Helovis scence Labership synthetic	Care Care			

Step #4: Reboot Navigator program, make sure that QR decoder server is running. Start scanning QR code.

ORDERS.	?-=>
* AI產業化 * Googsten * 產業AI化	2019/01/12 D55.43 DFU 21% DFU 21% REDAT 31:09 REDAT 31
2019 Mar 26 7 29 7	Applicate
Concert City Cummit C Even	Winds
Smart City Summit & Expo wilker The Sol	
Tapa Hord Tade Center, Respons EstiMater Tel 1	â 🕹
	0 *
	¥ 0
hh 女様で同社の)	SEQ 🌲
外间液余列扣射圈	
http://en.smartcity.org.tw/index.php/en.us/	2
http://en.smartury.org.tw/mdex.php/en/us/	
13:55:41 QRCode detection,	

Contact Contact <u>lilin.zendesk.com</u> for technical support.